

FEB 24 2010

16093647

### 510(k) Summary

---

**Trade Name:** Traxcess Docking Wire

**Generic Name:** Guidewire

**Classification:** Class II, 21 CFR 870.1330

**Submitted By:** MicroVention, Inc  
1311 Valencia Avenue  
Tustin, California U.S.A.

**Contact:** Naomi Gong

**Predicate Device:**

Number	Description	Clearance Date
K080563	Runthrough NS Extension Wire	March 20, 2008

**Device Description:**

The Traxcess Docking Wire is an accessory used to extend the Traxcess guidewire. It consists of a stainless steel shaft with a nitinol pipe and is coated with PTFE and silicone.

**Indication For Use:**

The Traxcess Docking Wire is intended for general intravascular use, including the neuro and peripheral vasculature. The wire can be steered to facilitate the selective placement of diagnostic or therapeutic catheters. This device is not intended for use in coronary arteries.

### Verification and Test Summary Table

<b>Bench Testing</b>	<b>Result</b>
Attachment with docking wire	Pass
Docking wire tensile strength	Pass
Simulated use testing <ul style="list-style-type: none"><li>▪ Tracking, supportability, microcatheter compatibility/exchange, repositioning</li></ul>	Pass

### Summary of Substantial Equivalence

---

The data presented in this submission demonstrates the technological similarity and equivalency of the Traxcess Docking Wire when compared with the predicate device.

The device

- Uses the same operating principle,
- Incorporates the same basic design,
- Uses similar construction and material,
- Is packaged and sterilized using same material and processes.

In summary, the Traxcess Docking Wire described in this submission is, in our opinion, substantially equivalent to the predicate device.



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

Food and Drug Administration  
10903 New Hampshire Avenue  
Document Control Room W-O66-0609  
Silver Spring, MD 20993-0002

Microvention, Inc.  
Ms. Naomi Gong  
Regulatory Affairs Project Manager  
1311 Valencia Avenue  
Tustin, CA 92780

FEB 24 2010

Re: K093647

Trade/Device Name: Traxcess Docking Wire  
Regulation Number: 21 CFR 870.1330  
Regulation Name: Catheter Guidewire  
Regulatory Class: Class II  
Product Code: DQX  
Dated: January 14, 2010  
Received: January 15, 2010

Dear Ms. Gong:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you, however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set


Page 2 – Ms. Gong


forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please go to <http://www.fda.gov/AboutFDA/CentersOffices/CDRH/CDRHOffices/ucm115809.htm> for the Center for Devices and Radiological Health's (CDRH's) Office of Compliance. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to <http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm> for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address <http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm>.

Sincerely yours,



 Bram Zuckerman, M.D.  
Director  
Division of Cardiovascular Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

## Indications for Use

510(k) Number (if known): K093647

Device Name: Traxcess Docking Wire

Indications For Use:

The Traxcess Docking Wire is intended for general intravascular use, including the neuro and peripheral vasculature. The Traxcess Docking Wire can be used with Traxcess guidewires to facilitate the placement of diagnostic or therapeutic catheters. This device is not intended for use in coronary arteries.

Prescription Use X AND/OR  
(Part 21 CFR 801 Subpart D)

Over-The-Counter Use \_\_\_\_\_  
(21 CFR 807 Subpart C)

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE  
IF NEEDED)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)

*Walter R. Vachon*  
(Division Sign-Off)  
Division of Cardiovascular Devices  
510(k) Number K093647

Page 1 of 1